

DECT 603

Digital Enhanced Cordless Telecommunications Simple Wireless Access



DETAILS			
Outdoor Speech Panel		Indoor Handsets	
Relays	2	Power Supply	Charging Base = 5v dc. Wall Unit = 12v dc.
Keypad Relays	3	Volume Adjust	Yes
Power Supply	24v ac/dc (24v dc 2A adaptor included)	Voicemail Capacity	16
Current Consumption	65mA Standby, 400mA Calling	Calling Between Handsets	Yes
Keypad codes/Prox cards	1200 total across 3 relays.		



The DECT 603 range is available in a variety of intercom panels.

Each kit contains, a speech panel, power supply, install manual, transmitter, portable handset OR desktop/wall-mounted handset.

Area code: EU (Europe) US (USA) AU (Australia & NZ)







ARCHITECTURAL MODELS Stylish black/steel panels with backlighting.

603-AB-EU (NON KP) 603-ABK-EU

Blue buttons & blue back lighting.

ARCHITECTURAL STEEL MODELS Stylish panels with backlighting.

603-AS-EU (NON KP) 603-ASK-EU

Blue buttons & blue back lighting.











IMPERIAL MODELS Sleek all-black panels.

603-IB-EU (NON KP)

603-IBK-EU

All black panels have blue lighting.





For kits with the desk/wall-mounted handsfree handset. Add HF to product code:

603-**HF**-ABK-EU







DECT 603 Accessories

Audio Handsets

Additional handsets (up to total of 4 max per intercom, which can be a mix and match of both styles.)



Handsfree Handset comes with charging base & power supply.






DECT-HF-EH-EU

Handsfree Handset comes with wall mount bracket & power supply.

Boost Antenna



603-WIFIA-EU


Range boosting antenna which can be added to transmitter at gate and also optionally to the handsfree monitor type. One antenna can boost range by 30%. Comes with 2 metre antenna cable (RG174 with SMA male connector).






PRODUCT DIMENSIONS


603 - IMPERIAL NON KP




603 - IMPERIAL WITH KP




603 - ARCHITECTURAL NON KP



603 - ARCHITECTURAL WITH KP



603 - ECO



Other panel styles available, Flush & Prox units.

