


## Specifications



2420103

|                                  |  |
|----------------------------------|--|
| <b>Range of product</b>          | Thorsman   |
| <b>Range</b>                     | Thorsman   |
| <b>product or component type</b> | Insulation tape  |
| <b>Device application</b>        | Binding<br>Colour coding<br>General work<br>Insulation |
| <b>Material</b>                  | PVC (polyvinyl chloride)                               |
| <b>Standards</b>                 | BS EN 60454  |

|  |                    |
|--|--------------------|
| <b>Colour</b>                                | Black              |
| <b>Length</b>                                | 20 m               |
| <b>Width</b>                                 | 19 mm              |
| <b>Thickness</b>                             | 0.13 mm            |
| <b>Flame retardance</b>                      | Self-extinguishing |
| <b>Ambient air temperature for operation</b> | 0...90 °C          |

Quantity per set Set of 8

|                              |           |
|------------------------------|-----------|
| Unit Type of Package 1       | PCE       |
| Number of Units in Package 1 | 1         |
| Package 1 Height             | 2.000 cm  |
| Package 1 Width              | 6.500 cm  |
| Package 1 Length             | 6.500 cm  |
| Package 1 Weight             | 66.000 g  |
| Unit Type of Package 2       | S04       |
| Number of Units in Package 2 | 200       |
| Package 2 Height             | 30.000 cm |
| Package 2 Width              | 40.000 cm |
| Package 2 Length             | 60.000 cm |

|                              |            |
|------------------------------|------------|
| Package 2 Weight             | 13.783 kg  |
| Unit Type of Package 3       | P12        |
| Number of Units in Package 3 | 6000       |
| Package 3 Height             | 130.000 cm |
| Package 3 Width              | 80.000 cm  |
| Package 3 Length             | 120.000 cm |
| Package 3 Weight             | 425.490 kg |

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Sustainable Packaging

## Resource performance

✔ Sustainable Packaging

## Well-being performance

✔ Reach Free Of Svhc

✔ Toxic Heavy Metal Free

✔ Mercury Free

✔ Rohs Exemption Information Yes

Reach Regulation REACH Declaration

Eu Rohs Directive Pro-active compliance (Product out of EU RoHS legal scope)  
EU RoHS Declaration

China Rohs Regulation China RoHS declaration  
Pro-active China RoHS declaration (out of China RoHS legal scope)